

12/23/99

JC685 U.S. PTO

09/471162
PTO
U.S. PTO

12/23/99

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.

35.C14148

First Named Inventor or Application Identifier

KAZUHIRO MATSUBAYASHI

Express Mail Label No.

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents

ADDRESS TO:Assistant Commissioner for Patents
Box Patent Application
Washington, DC 202311. ☐ Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)2. ☒ Specification Total Pages **36**3. ☒ Drawing(s) (35 USC 113) Total Sheets **14**4. ☒ Oath or Declaration Total Pages **1**a. ☐ Newly executed (original or copy)b. ☒ Unexecuted for information purposesc. ☐ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]i. ☐ **DELETION OF INVENTOR(S)**Signed Statement attached deleting inventor(s)
named in the prior application, see 37 CFR
1.63(d)(2) and 1.33(b).5. ☐ Incorporation By Reference (useable if Box 4c is checked)
The entire disclosure of the prior application, from which a copy of the
oath or declaration is supplied under Box 4c, is considered as being
part of the disclosure of the accompanying application and is hereby
incorporated by reference therein.6. ☐ Microfiche Computer Program (Appendix)7. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)a. ☐ Computer Readable Copyb. ☐ Paper Copy (identical to computer copy)c. ☐ Statement verifying identity of above copies**ACCOMPANYING APPLICATION PARTS**8. ☐ Assignment Papers (cover sheet & document(s))9. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)10. ☐ English Translation Document (if applicable)11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS
Citations12. ☐ Preliminary Amendment13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)14. ☐ Small Entity Statement(s) ☐ Statement filed in prior application
Status still proper and desired15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)16. ☐ Other: _____

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No. ____/____**18. CORRESPONDENCE ADDRESS**☒ Customer Number or Bar Code Label05514
(insert Customer No. or Attach bar code label here)or ☐ Correspondence address below

NAME

Address

City

State

Zip Code

Country

Telephone

Fax



CLAIMS	(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) CALCULATIONS
	TOTAL CLAIMS (37 CFR 1.16(c))	33-20 =	13	X \$ 18.00 =	\$234.00
	INDEPENDENT CLAIMS (37 cfr 1.16(b))	6-3 =	3	X \$ 78.00 =	\$234.00
	MULTIPLE DEPENDENT CLAIMS (if applicable) (37 CFR 1.16(d))			\$260.00 =	\$ 0.00
				BASIC FEE (37 CFR 1.16(a))	\$760.00
	Total of above Calculations =				\$1,228.00
	Reduction by 50% for filing by small entity (Note 37 CFR 1.9, 1.27, 1.28).				
	TOTAL =				\$1,228.00

19. Small entity status


- a. ☐ A Small entity statement is enclosed
- b. ☐ A small entity statement was filed in the prior nonprovisional application and such status is still proper and desired.
- c. ☐ Is no longer claimed.

20. ☒ A check in the amount of \$ 1,228.00 to cover the filing fee is enclosed.

21. ☐ A check in the amount of \$ _____ to cover the recordal fee is enclosed.

22. The Commissioner is hereby authorized to credit overpayments or charge the following fees to Deposit Account No. 06-1205:

- a. ☒ Fees required under 37 CFR 1.16.
- b. ☒ Fees required under 37 CFR 1.17.
- c. ☐ Fees required under 37 CFR 1.18.

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT REQUIRED	
NAME	Leonard P. Diana (Reg. No. 29,296)
SIGNATURE	
DATE	December 22, 1999

INFORMATION PROCESSING APPARATUS AND INFORMATION
PROCESSING METHOD FOR PROCESSING DOCUMENT DATA HAVING A
PLURALITY OF OBJECTS DIFFERENT IN ATTRIBUTION

5 BACKGROUND OF THE INVENTION

Field of the Invention

66237 297 2450

The present invention relates to an information processing apparatus and an information processing method, particularly to an information processing apparatus and an information processing method for controlling output of a plurality of objects different in attribution to a display apparatus, a printing apparatus, and other output devices so that the objects are appropriately arranged.

15 Related Background Art

In a conventional art, a document having objects different in attributions such as a character, a diagram and an image is prepared and outputted in a document processing apparatus, and the like.

20 Fig. 20 is a view showing one example of data prepared in this type of document processing apparatus.

In Fig. 20, numeral 51 denotes a character object layout, and is prepared, for example, as "Welcome party". Numeral 52 denotes a diagram object and shows, for example, map information of a welcome party place. Numeral 53 denotes an image object, for example, in which a welcome party host's face is laid out. A

layout processing of each object will be described hereinafter.

Additionally, the sizes of the entire document and each object are stored as document layout information in a document file. The size is represented by a length unit or a pixel number unit. Examples of the length unit include millimeter, inch (about 25.4 millimeters), point (1/72 inch), and the like. Moreover, the longitude and latitude of a map, and another unit which can be converted to the length unit are used in some cases.

Here, for the object size, in a character object, the width and height of a character are indicated. In a diagram object, the width and height of a diagram and the thickness of a line constituting the diagram are indicated. In an image object, the width and height of an image are indicated.

Moreover, when the document is outputted to a display or a printer, the designated area of a designated page can be outputted. The display or the printer has resolution information which is represented by the number of pixels per unit length.

Furthermore, the sizes of the document and each object stored in the document file which are represented by the length unit are converted to the pixel number unit by a user's operation when the resolution of the output apparatus is determined.

Additionally, the document output magnification can be designated by the user's operation during the output.

5 The unit by which the size of the document stored in the document file and the sizes of all the objects are represented needs to be unified as either "the length" or "the number of pixels" so that even when the document is outputted to the display or printer of any resolution, the document has the same layout.

10 Generally, for the document with a final purpose of the output by the printer, after the size (length unit) of a sheet for the output is determined, the document is prepared. Therefore, to maintain the layout, the size of each object needs to be represented by the length unit.

15 On the other hand, for the document with a final purpose of the output to the display, since the display quality of the object is influenced by the number of pixels, rather than by the length unit size, the size of the entire document and the size of each object are represented by the number of pixels in many cases.

20 When the layout may differ by the display and the printer for the output, each object can freely be represented by either the length unit or the pixel number unit.

25 In the conventional document processing system, each object is outputted with the size obtained by multiplying the size of each object stored in the

0947162-12399

document file by the document output magnification.

For example, when the resolution of the display is 72 dpi (72 pixels per inch) and the document output magnification is 100%, and when the size of a certain character object is 12 points in length and width, this character object is displayed with 12 pixels in length and width. When the document output magnification is 50%, the character object is displayed with six pixels in length and width.

Moreover, when the resolution of the display is 96 dpi (96 pixels per inch) and the document output magnification is 100%, and when the size of a certain character object is 12 points in length and width, this character object is displayed with 16 pixels in length and width. When the document output magnification is 50%, the character object is displayed with eight pixels in length and width.

In the conventional document processing apparatus, during the reduction and output of the document, when the object output size is excessively small, it becomes difficult for the user to refer to the object output result and distinguish the information.

Moreover, in some cases, it is easier to see the output result when only the important information is clearly outputted and other information is erased, than when many objects with non-distinguishable information are congested and present in a reduced small document

area.

Additionally, as one example of the conventional document processing apparatus or document processing system, control is performed so that the object reduced to a size less than a predetermined size is prevented from being outputted among the objects, so that the output result can be seen more easily.

Moreover, as another example of the conventional document processing system, the object is outputted with a constant size irrespective of the enlargement/reduction of the document, so that the object information can constantly be distinguished.

However, in the conventional document processing system, there is a problem that a fine output size cannot be designated in an arbitrary object unit.

Moreover, in the conventional document processing system, there is a problem that a fine output size cannot be designated in an arbitrary enlargement/reduction magnification.

SUMMARY OF THE INVENTION

The present invention has been developed to solve the above-described problems, and an object thereof is to provide an information processing apparatus and method in which operating properties are enhanced by changing and outputting the size of an object in accordance with the size of document data when this

document data is outputted.

To achieve the above-described object, according to the present invention, there is provided an information processing apparatus which comprises area
5 size determining means for determining the size of a document output area when document data is outputted to an output apparatus based on layout information, information memory means for storing size information indicating a relation of the size of the document
10 output area and the size of an object included in the document data, object size determining means for determining the size of the object based on the size determined by the area size determining means and the size information stored in the information memory
15 means, magnification changing means for changing the magnification of the object based on the size determined by the object size determining means, and control means for outputting the object with the magnification changed by the magnification changing
20 means to the output apparatus.

Moreover, according to the present invention, there is provided an information processing apparatus which comprises layout information memory means for storing layout information when document data is
25 outputted to an output apparatus, display control means for displaying an object included in the document data on a display screen, and associating means for

associating the displayed object with size information
indicating the size of a document output area and the
size of the object when the document data is outputted
to the output apparatus based on the layout
5 information.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram showing the constitution
of a computer system to which a document processing
10 apparatus according to a first embodiment of the
present invention can be applied.

Fig. 2 is a block diagram showing the function
constitution in the document processing apparatus shown
in Fig. 1.

15 Fig. 3 is a flowchart showing one example of a
data processing procedure in the document processing
apparatus of the embodiment.

Fig. 4 is a view showing output of a document file
output in the embodiment.

20 Fig. 5 is an explanatory view showing one example
of a function setting screen by a function operation
part shown in Fig. 2.

Fig. 6 is an explanatory view showing one example
of the function setting screen by the function
25 operation part shown in Fig. 2.

Fig. 7 is an explanatory view of a relation
between a document output magnification and an object

size stored in a function memory part shown in Fig. 2 during initial setting.

Fig. 8 is an explanatory view of the relation between the document output magnification and the object size stored in the function memory part shown in Fig. 2 during the initial setting.

Fig. 9 is an explanatory view of the relation between the document output magnification and the object size stored in the function memory part shown in Fig. 2 during the initial setting.

Fig. 10 is an explanatory view of the relation between the document output magnification and the object size stored in the function memory part shown in Fig. 2 during the initial setting.

Fig. 11 is an explanatory view of the relation between the document output magnification and the object size stored in the function memory part shown in Fig. 2 during the initial setting.

Fig. 12 is an explanatory view of the relation between the document output magnification and the object size stored in the function memory part shown in Fig. 2 during the initial setting.

Fig. 13 is an explanatory view of the relation between the document output magnification and the object size stored in the function memory part shown in Fig. 2 during the initial setting.

Fig. 14 is an explanatory view of the relation

0047463 2972460

between the document output magnification and the object size stored in the function memory part shown in Fig. 2 during the initial setting.

Fig. 15 is a block diagram showing the function constitution of the document processing apparatus according to a second embodiment of the present invention.

Fig. 16 is a block diagram showing the function constitution of the document processing apparatus according to a third embodiment of the present invention.

Fig. 17 is an explanatory view showing the output relation of a font stored in the function memory part shown in Fig. 2 in the document processing apparatus shown in Fig. 16.

Fig. 18 is an explanatory view of a memory map of a memory medium which stores various data processing programs readable in the document processing apparatus of the present invention.

Fig. 19 is a view of a document file stored in a memory apparatus.

Fig. 20 is a view of the document file prepared in the document processing apparatus.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS (First Embodiment)

Fig. 1 is a block diagram showing the constitution

of a computer system to which a document processing apparatus according to a first embodiment of the present invention can be applied.

In a computer 18, a CPU 1 controls the whole of a computer 18 via a main bus 10. Furthermore, the CPU 1 carries out a series of processings such as document input, edition processing, and document output control in accordance with an instruction inputted from an input apparatus (e.g., keyboard 11, mouse 12, pen 13) via an input apparatus I/F 6. Document data and other information displayed on a screen are stored in VRAM 8, and displayed on a display 14 via a display I/F 7, or outputted to a printer 15 via a printer I/F 9.

A RAM 2 is loaded for storage with other control programs including OS to be executed by the CPU 1 and a control program for realizing the present invention. Moreover, the RAM functions as the operation area or the temporary save area of various data for use when the CPU 1 executes the control program.

HDD 3 is a memory apparatus for storing a relatively large amount of programs or data, and functions as a nonvolatile memory medium in which the programs or the data are not erased even when the power supply is cut off. LAN I/F 4 is an interface for exchanging data between the computer 18 and other peripheral apparatuses via LAN 16. Similarly, there may be provided an interface for exchanging data

between the computer 18 and the other peripheral apparatuses via a telephone circuit.

FDD 5 is a floppy disk drive to write data, and the like to FD 17(floppy disk) and read the data, and the like from the FD 17. Moreover, the FDD can also exchange the data with other computers via the FD 17. Similarly, the FDD may be a memory apparatus for exchanging the data with the other computers via CD-ROM, MO, DVD or other attachable/detachable memory media such as other types of disks or tapes.

Additionally, a personal computer or another general-purpose computer may be used as the computer 18, or a microcomputer built in the apparatuses such as the display 14 and the printer 15 may be used.

The function constitution of the document processing apparatus in the present embodiment will be described hereinafter with reference to Fig. 2.

Fig. 2 is a block diagram showing the function constitution in the document processing apparatus shown in Fig. 1.

In Fig. 2, a document attribution memory part 27 stores the document attributions of the document file such as the document size and the number of pages. A layout memory part 28 stores layout information such as the position and size of each object.

A function memory part 29 stores functions as the characteristics of the embodiment. An object contents

memory part 30 stores the contents of each object.
These parts correspond to the HDD 3 and the RAM 2, and
the information stored in each part forms a document
file 26. These information are edited in a document
5 attribution operation part 22, a layout operation part
23, a function operation part 24, and an object content
operation part 25 (corresponding to the CPU 1),
respectively, by the operation of the keyboard 11, the
mouse 12, the pen 13, and the like.

10 Additionally, when the document is outputted to
the output apparatuses such as the display 14 and the
printer 15, the information of a document output page,
output area, and output magnification are necessary.
These information are processed in a document output
15 attribution processing part 21 (corresponding to the
CPU 1), and stored in a document output attribution
memory part 32 in a memory 31 (corresponding to the RAM
2). Furthermore, when the document is outputted to the
output apparatuses, the resolution information of the
20 output apparatus is also necessary. The information is
stored in an output resolution memory part 33 in the
memory 31.

 Here, the document file will be described. Fig.
19 is a view of a document file stored in the memory
25 apparatus (RAM 2, HDD 3, FD 17). As shown in Fig. 19,
one document file is constituted of a document file
title, page number, and each page information. Each

page information is constituted of each object information, and each object information is constituted of an object attribution, output location, size, area, and object (text information, diagram information, or image information). The object attributions include functions, importance of object degree, and the like.

A layout processing part 34 calculates the output position and size of each object. When the function is defined for the object, the object size is obtained by a function processing part 37. When the size is represented by the length unit, the size is converted to the pixel number unit based on the resolution of the output apparatus by a unit conversion processing part 36. These processing parts correspond to the CPU 1.

An object drawing processing part 35 (corresponding to the CPU 1 and the display I/F 7 or the printer I/F 9) draws each object on a pixel unit coordinate surface based on the resolution of the output apparatus. For example, the character object is drawn by reading font data in accordance with the character code and size. Moreover, when the font data matched with the size is not stored, the existing font data is enlarged/reduced.

Moreover, the diagram object is drawn by calculating the coordinate of points, lines, or faces constituting the diagram. Furthermore, the image object is drawn by reading pixel data and performing

processings such as pixel interpolation and deletion in accordance with the size.

Fig. 3 is a flowchart showing one example of a data processing procedure in the document processing apparatus of the present embodiment, and shows a document output processing procedure. Additionally, (101) to (107) denote steps.

In step (101), an operation of designating an output page, output area, and output magnification is performed. Concretely, a desired document file is designated from a plurality of document files by a known technique. Based on this designation, the document output attribution processing part 21 determines the document file page to be outputted, the object area to be outputted to the output page, and the magnification of the document file size to be outputted. Next, in step (102), the layout processing part 34 reads the layout information of each object of the designated document file from the document file 26.

Subsequently, in step (103), the layout processing part 34 checks whether functions have been defined for each object, and when it is judged that the function is not defined, the procedure advances to step (105) and subsequent steps.

On the other hand, when it is judged in the step (103) that the function is defined, the procedure advances to step (104), in which the function

processing part 37 calculates the object output size for the document output magnification based on the function defined in the object.

Next in step (105), the object drawing processing part 35 reads in the contents of the object from the document file 26. In step (106), the object drawing processing part 35 draws the object with the calculated output size, that is, the output size based on the function when the function is defined, or the output size based on the output magnification when the function is not defined. Subsequently, in step (107), the layout processing part 34 judges whether or not there is the next object, returns to the step (103) when judging that the next object is present, and completes the processing when judging that there is no next object.

Additionally, the function indicating the relation between the document display magnification and the object display size is defined for each object. Moreover, the common function can be defined for a plurality of objects. Furthermore, as the method of selecting one object or a plurality of objects, there are a method of designating the objects in order with a pointing device, a method of designating retrieval conditions and selecting all the corresponding objects, and the like.

Thereby, output results are obtained as shown in

Fig. 4.

Fig. 4 shows an example in which one page of the document file shown in Fig. 20 is outputted with a 1/3 size. In Fig. 4, each object is outputted based on the object function. In this example, it can be seen that the diagram and text shown by an arrow are allotted with the function different from the function of the other diagram and text. Moreover, in this example, there is a certain object which is not outputted in comparison with Fig. 20. This is because the function of this object is zero with the 1/3 size.

A function setting processing operation by the function operation part 24 shown in Fig. 2 will be described hereinafter with reference to Figs. 5 and 6.

Figs. 5 and 6 are explanatory views showing one example of a function setting screen by the function operation part 24 shown in Fig. 2 when the object is a character, and correspond, for example, to the state displayed in the display 14 shown in Fig. 1. Additionally, in the drawings, the axis of ordinate indicates a font size (vertical pixel number), and the axis of abscissa indicates a document display magnification (%). Moreover, numerical 42 denotes a function designation point, which is indicated by the pointing devices such as the mouse 12 and the pen 13. Additionally, the object size to be represented can be switched to the length unit or the pixel number unit in

accordance with the user's instruction.

In the function operation part 24, for the selected object, a graph 41 showing the function as shown in Fig. 5 is displayed on the screen of the display 14. When the arbitrary point 42 on the graph is clicked with the pointing devices such as the mouse 12 and the pen 13, the graph 41 is changed to a graph 41A configured to pass through the function designation point 42 as shown in Fig. 6. Subsequently, the original function stored in the function memory part 29 is changed based on the changed graph 41A.

Additionally, the function may be prepared by a table or a formula instead of the graph. Moreover, for the object displayed on the screen in a certain document output magnification, enlargement/reduction is instructed, and the result may be reflected on the function. As the method of giving the instruction of enlargement/reduction, there are a method of dragging a handle displayed in the selected object, a method of directly inputting a numeric value and designating the size, a method of utilizing graphical user interface (GUI) tools such as an icon on the screen, and the like. Additionally, the examples of the GUI tool include a tool for selecting an icon of magnifying glass before clicking the object so that enlargement (or reduction) is performed.

The relation between the document output

magnification and the object size during initial setting will be described hereinafter with reference to Figs. 7 to 12.

5 Figs. 7 to 12 are explanatory views showing the relation between the document output magnification and the object size stored in the function memory part 29 shown in Fig. 2 during the initial setting (in this example, the object is a character), the axis of ordinate indicates a font size (The Number Of Pixels In
10 Vertical) and the axis of abscissa indicates a document display magnification (%).

First, in the initial setting when the document is newly prepared, the relation between the document output magnification and the object size is a
15 proportional relation as shown in Fig. 7, and the layout is kept irrespective of the document output magnification. Furthermore, by defining the function so that the object size becomes constant irrespective of the document output magnification as shown in Fig.
20 8, the object information can be easily distinguished even when the document is reduced.

A plurality of pages are frequently reduced to one display screen or one sheet and outputted, but as shown in Fig. 9, by establishing the proportional relation at
25 a predetermined output magnification or more to keep the layout, and making the object size to be constant at the magnification less than the predetermined output

magnification, it becomes easier to distinguish the information, which is practical.

However, when this function is applied to many objects, and when the document is reduced, the objects are congested and overlapped, thereby making it difficult to see the objects. Therefore, by setting the output size to be "zero" at the magnification less than the predetermined magnification as shown in Fig. 10 not to display the unimportant object, the objects are arranged to be easily seen.

Moreover, by making the object size to be constant at the predetermined output magnification or more as shown in Fig. 11, a space for displaying other information can be made so that the object is not unnecessarily enlarged.

Furthermore, in Fig. 12, the object is smoothly enlarged/reduced for the document enlargement/reduction, while the effects similar to those of Figs. 9 and 11 are produced, so that a feeling of difference can be minimized. Thereby, the font size can be defined.

In Figs. 7 to 12, the character object is shown as the object example, and the font size (The Number Of Pixels In Vertical) is shown as the object size example, but the function can similarly be defined for the other objects such as the diagram and the image. The object size may be represented by the pixel number

unit or the length unit.

Figs. 13 and 14 are explanatory views showing the relation between the document output magnification and the object size stored in the function memory part 29 shown in Fig. 2 during the initial setting (in this example, the object is a diagram), the axis of ordinate indicates a line thickness (The Number Of Pixels), and the axis of abscissa indicates a document display magnification (%).

For example, in the diagram object, as shown in Figs. 13 and 14, the thickness of the line constituting the diagram may be set as the object size.

As described above, in the document processing system of the present embodiment, the document file can be prepared, edited, and outputted in which the output size of each object during the enlargement/reduction of the document at the arbitrary magnification is arbitrarily determined for one object or a plurality of objects.

(Second Embodiment)

In the above-described first embodiment, the example of the document processing apparatus having a function of preparing, editing, and outputting the document has been described, but the present invention can be applied even to a document processing apparatus which only has a function of reading and outputting the document prepared and edited by the other document

processing system by the LAN 16, the FD 17, and the like. The embodiment will be described hereinafter.

Fig. 15 is a block diagram showing the function constitution of the document processing apparatus according to a second embodiment of the present invention, and the same parts as those of Fig. 2 are denoted with the same reference numerals.

Additionally, since the function of each part is the same as that of Fig. 2, the description thereof is omitted.

This can inexpensively provide a simple-constitution, simple-operation system.

(Third Embodiment)

In the above-described first and second embodiments, the case in which the function is defined during document preparation and stored in the document file has been described, but a function memory part 38 may be disposed on the memory 31 shown in Fig. 2, so that the function is defined by a function operation part 39 during document output and the object output size is corrected. The embodiment will be described hereinafter.

Fig. 16 is a block diagram showing the function constitution of the document processing apparatus according to a third embodiment of the present invention, and the same parts as those of Fig. 2 are denoted with the same reference numerals.

Additionally, since the function of each part is the same as that of Fig. 2, the description thereof is omitted.

In Fig. 16, the function memory part 38 is
5 disposed on the memory 31, the function is defined by the function operation part 39 when the document is outputted, and the object output size is corrected.

Specifically, in the first or second embodiment or the conventional document processing system, the output
10 size of each object is determined, but in the third embodiment, the output size is further changed, and the function for obtaining a new actual output size is defined as shown in Fig. 17.

Fig. 17 is an explanatory view showing the font
15 output relation stored in the function memory part 29 shown in Fig. 2 in the document processing apparatus shown in Fig. 16, and the axes of ordinate and abscissa indicate the font size (The Number Of Pixels In Vertical).

20 For example, by performing correction as shown by the graph of Fig. 17, a small object can be outputted with a large size.

Thereby, the object size can also be corrected in accordance with the eyesight of a person who sees the
25 document.

Moreover, when the person who sees the document selects the object, desired retrieval conditions are

used and a plurality of objects are selected, so that the object to be seen can largely be displayed.

According to the above-described embodiment, there is provided an effect that the control of displaying the object in an enlarged or a reduced manner or not displaying the object can finely be performed for each arbitrary object or each arbitrary document display magnification.

The constitution of a data processing program which can be read by the document processing apparatus of the present invention will be described hereinafter with reference to a memory map shown in Fig. 18.

Fig. 18 is an explanatory view of the memory map of a memory medium storing various data processing programs which can be read by the document processing apparatus according to the present invention.

Additionally, as not especially shown, information for managing a group of programs stored in the memory medium, such as version information, and a person who prepares the program, are stored, and the information dependent on OS, and the like on the side of program reading, such as an icon for identifying/displaying the program, are stored in some cases.

Furthermore, data belonging to various programs are also managed by the above-described directory. Moreover, a program for installing various programs to the computer, a program for thawing the compressed

program to be installed, and the like are stored in some cases.

In the present embodiment the function shown in Fig. 3 may be implemented by a host computer in accordance with the program installed from the outside. Furthermore, in this case, the present invention is applied even when a group of information including the program is supplied to the output apparatus from the memory media such as CD-ROM, flash memory and FD or from the external memory medium via a network.

As described above, it goes without saying that the object of the present invention is also achieved by supplying the memory medium in which the software program code for realizing the above-described function of the embodiment is stored to the system or the apparatus and reading and executing the program code stored in the memory medium by the computer (or CPU or MPU) of the system or the apparatus.

In this case, the program code itself read from the memory medium realizes a new function of the present invention, and the memory medium storing the program code constitutes the present invention.

As the memory medium for supplying the program code, for example, a floppy disk, hard disk, optical disk, optomagnetic disk, CD-ROM, CD-R, magnetic tape, nonvolatile memory card, ROM, EEPROM, and the like can be used.

Moreover, when the program code read by the computer is executed, the above-described function of the embodiment is realized, but additionally it goes without saying that there is also included a case in which the operating system (OS) operating on the computer, and the like perform a part or the whole of an actual processing based on the instruction of the program code so that the above-described function of the embodiment is realized by the processing.

Furthermore, it goes without saying that there is also included a case in which after the program code read from the memory medium is written into the memory disposed in a function expansion board inserted into the computer or a function expansion unit connected to the computer, CPU, and the like disposed in the function expansion board or the function expansion unit perform a part or the whole of the actual processing based on the instruction of the program code so that the above-described function of the embodiment is realized by the processing.

As described above, according to the present embodiment, when the arbitrary output magnification for the document data is designated, the output size of each object can individually be determined from the stored function information. Even when the output magnification is a reduction magnification, the specific object in the document data can be emphasized

in size to be conspicuous without using the tuning magnification, and the object desired by the user can be outputted with the output size whose function is determined from the output magnification of the document data.

Moreover, according to the present embodiment, by a simple operation of forming the stored function information into a graph, outputting the graph via the output apparatus, and designating a specific point on the outputted graph, the user replaces the information with the intended function, and can freely correct the relation between the output magnification and the object size to be outputted.

Therefore, there is produced an effect that the univocal output size restriction of the output size of different types of objects is eliminated for the set output magnification, the output size of the object intended by the user can freely be determined, and different output sizes can be outputted in accordance with the function for selecting each object in the document data.

WHAT IS CLAIMED IS:

1. An information processing apparatus which comprises:

area size determining means for determining the
5 size of a document output area when document data is
outputted to an output apparatus based on layout
information;

information memory means for storing size
information having a relation between the size of said
10 document output area and the size of an object included
in said document data;

object size determining means for determining the
size of the object based on the size determined by said
area size determining means and the size information
15 stored in said information memory means;

magnification changing means for changing the
magnification of said object based on the size
determined by said object size determining means; and

control means for outputting the object with the
20 magnification changed by said magnification changing
means to the output apparatus.

2. The information processing apparatus according
to claim 1, wherein said document data includes a
25 plurality of objects and each of the plurality of
objects has said size information.

3. The information processing apparatus according to claim 1, wherein said document data includes a plurality of objects different in attribution and each of the plurality of objects has said size information.

5

4. The information processing apparatus according to claim 1, wherein said size information comprises function information.

10

5. An information processing apparatus which comprises:

layout information memory means for storing layout information when document data is outputted to an output apparatus;

15

display control means for displaying an object included in said document data on a display screen; and associating means for associating said displayed object with size information having a relation between the size of a document output area and the size of said object when the document data is outputted to the output apparatus based on said layout information.

20

6. The information processing apparatus according to claim 5, wherein said document data includes a plurality of objects and said size information is associated with each of the plurality of objects.

25

0947462-2972460

7. The information processing apparatus according to claim 5, wherein said document data includes a plurality of objects different in attribution and said size information is associated with each of the plurality of objects.

8. The information processing apparatus according to claim 5, wherein said size information is function information.

9. The information processing apparatus according to claim 8, further comprising graph display means for displaying said function information as a graph on display wherein said associating means associates the function information represented by the graph displayed by said graph display means with said object.

10. The information processing apparatus according to claim 9, further comprising correcting means for correcting the displayed graph.

11. The information processing apparatus according to claim 5, further comprising output means for outputting the object included in said document data based on said size information.

12. An information processing method which

comprises:

an area size determining step of determining the size of a document output area when document data is outputted to an output apparatus based on layout

5 information;

an object size determining step of determining the size of an object based on size information having a relation between the size of said document output area stored in information memory means and the size of the object included in said document data, the size
10 determined in said area size determining step, and size information stored in said information memory means;

a magnification changing step of changing the magnification of said object based on the size
15 determined in said object size determining step; and

an output step of outputting said object with the changed magnification to the output apparatus.

13. The information processing method according
20 to claim 12, wherein said document data includes a plurality of objects and each of the plurality of objects has said size information.

14. The information processing method according
25 to claim 12, wherein said document data includes a plurality of objects different in attribution and each of the plurality of objects has said size information.

15. The information processing method according to claim 12, wherein said size information comprises function information.

5 16. An information processing method which comprises:

 a memory step of storing layout information when document data is outputted to an output apparatus in layout memory means;

10 a display step of displaying an object included in said document data on a display screen; and

 an associating step of associating said displayed object with size information having a relation between the size of a document output area and the size of said
15 object when the document data is outputted to the output apparatus based on said layout information.

 17. The information processing method according to claim 16, wherein said document data includes a
20 plurality of objects and said size information is associated with each of the plurality of objects.

 18. The information processing method according to claim 16, wherein said document data includes a
25 plurality of objects different in attribution and said size information is associated with each of the plurality of objects.

19. The information processing method according to claim 16, wherein said size information is function information.

5 20. The information processing method according to claim 19, further comprising a display step of displaying said function information as a graph on display wherein the function information represented by the graph displayed in said graph display step with
10 said object is associated in the associating step.

 21. The information processing method according to claim 20, further comprising a correcting step of correcting said displayed graph.

15 22. The information processing method according to claim 16, further comprising an output step of outputting the object included in said document data to the output apparatus based on said size information.

20 23. A memory medium which stores a computer readable program comprising:

 an area size determining step of determining the size of a document output area when document data is
25 outputted to an output apparatus based on layout information;

 an object size determining step of determining the

0947462 460

size of an object based on size information having a
relation between the size of said document output area
stored in information memory means and the size of the
object included in said document data, the size
5 determined in said area size determining step, and size
information stored in said information memory means;

a magnification changing step of changing the
magnification of said object based on the size
determined in said object size determining step; and
10 an output step of outputting said object with the
changed magnification to the output apparatus.

24. The memory medium according to claim 23,
wherein said document data includes a plurality of
15 objects and each of the plurality of objects has said
size information.

25. The memory medium according to claim 23,
wherein said document data includes a plurality of
20 objects different in attribution, and each of the
plurality of objects has said size information.

26. The memory medium according to claim 23,
wherein said size information comprises function
25 information.

27. A memory medium which stores a computer

readable program comprising:

a memory step of storing layout information when document data is outputted to an output apparatus in layout memory means;

5 a display step of displaying an object included in said document data on a display screen; and

an associating step of associating said displayed object with size information indicating a relation between the size of a document output area and the size of said object when the document data is outputted to the output apparatus based on said layout information.

10

28. The memory medium according to claim 27, wherein said document data includes a plurality of objects and said size information is associated with each of the plurality of objects.

15

29. The memory medium according to claim 27, wherein said document data includes a plurality of objects different in attribution, and said size information is associated with each of the plurality of objects.

20

30. The memory medium according to claim 27, wherein said size information is function information.

25

31. The memory medium according to claim 30,

further comprising a display step of displaying said
function information as a graph on display means,
wherein the function information represented by the
graph displayed in said graph display step with said
5 object is associated in the associating step.

32. The memory medium according to claim 31,
further comprising a correcting step of correcting said
displayed graph.

10

33. The memory medium according to claim 27,
further comprising an output step of outputting the
object included in said document data to the output
apparatus based on said size information.

094122-237460

ABSTRACT OF THE DISCLOSURE

Document data is constituted of a plurality of objects different in attribution, and layout information of the objects. Each object is associated with size information indicating a relation between an output area size and an object size when the document data is outputted. When the document data is outputted to an output apparatus, the magnification of each object is changed and outputted in accordance with the output area size of the document data.

0947463 43399
66523T 29T2460

FIG. 1




FIG. 2





FIG. 3

FIG. 4






FIG. 5**FIG. 6**



FIG. 7*FIG. 8*



FIG. 9**FIG. 10**



FIG. 11*FIG. 12*



FIG. 13**FIG. 14**

FIG. 15




FIG. 16




FIG. 17




FIG. 18

MEMORY MEDIUM LIKE FD / CR-ROM

DIRECTORY INFORMATION
FIRST DATA PROCESSING PROGRAM THE PROGRAM CODE GROUP OF CORRESPONDING TO THE FLOWCHART SHOWN IN FIG. 3

MEMORY MAP OF MEMORY MEDIUM



FIG. 19

FIG. 20



**COMBINED DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION
(Page 1)**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled INFORMATION PROCESSING APPARATUS AND INFORMATION PROCESSING METHOD FOR PROCESSING DOCUMENT DATA HAVING A PLURALITY OF OBJECTS DIFFERENT IN ATTRIBUTION

the specification of which ☒ is attached hereto ☐ was filed on _____ as United States Application No. or PCT International Application No. _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56.

I hereby claim foreign priority benefits under 35 U.S.C. §119(a)-(d) or §365(b), of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designates at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate, or PCT international application having a filing date before that of the application on which priority is claimed:

<u>Country</u>	<u>Application No.</u>	<u>Filed (Day/Mo./Yr.)</u>	<u>(Yes/No)</u> <u>Priority Claimed</u>
Japan	10-374393	December 28, 1998	Yes
Japan	11-350083	December 9, 1999	Yes

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s), or § 365(c) of any PCT international application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 C.F.R. § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

<u>Application No.</u>	<u>Filed (Day/Mo./Yr.)</u>	<u>Status (Patented, Pending, Abandoned)</u>
N/A		

I hereby appoint the practitioners associated with the firm and Customer Number provided below to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith, and direct that all correspondence be addressed to the address associated with that Customer Number:

FITZPATRICK, CELLA, HARPER & SCINTO
Customer Number: 05514

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole or First Inventor KAZUHIRO MATSUBAYASHI

Inventor's signature _____

Date _____ Citizen/Subject of Japan

Residence 2-2, Nakata Kita 1-chome, Izumi-ku, Yokohama-shi,
Kanagawa-ken, Japan

Post Office Address c/o Canon Kabushiki Kaisha,
30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo, Japan